

Signage Protocol Guidelines

May 2019



Contents

01	What is Wayfinding?	3
	Why do we Need a Strategy?	4
	Design Solution	6
	Brand Assets	7
	Application Principles	8
	Language Conventions	8
	Process	9
02	Kit of Parts	10
	External	11
	Internal	22
03	Scoping	30
	Principles	31
	External	32
	Unique Signage	35
04	Construction & Application	38
	External Construction & Application	39
	Internal Construction & Application	53
	Braille	62
05	Additional Considerations	63
	Funder Acknowledgement	64
	Non-Branded Areas	64
	Further Wayfinding	65

01 What is wayfinding?

Wayfinding refers to an information system that guides people through a physical environment. A good system enhances their understanding and experience of the space and creates a 'sense of place'.

Wayfinding is particularly important for Ulster University due to its varied and complex campus structures. As each campus develops it becomes more complicated, so people need visual cues such as maps, directions, and symbols to help guide them to their destinations. In these often high-stress environments, effective wayfinding systems contribute to a sense of well-being, safety and security.

A robust wayfinding strategy will help us meet some of the University objectives in our Professional Services 5&50 Strategy.

Purpose

At all times, students, staff and visitors should:

- Know where they are.
- Know where they're going.
- Easily follow the best route to their destination.
- Recognise their destination upon arrival.
- Feel confident and reassured.

Principles

Signage should:

- Only be used where necessary.
- Be easily noticed.
- Be clear and easy to understand.
- Have a clear hierarchy of information.

Objectives

A solution befitting of a world-class institution:

- A warm welcome.
- A powerful first and lasting impression.
- An efficient and rewarding user journey.
- A robust, functional and re-usable system.
- Consistent across each campus.
- Increase brand recognition.
- Clear, accessible and inclusive.
- High quality, ethical and sustainable.
- Help meet the University objectives in our PS5&50 Strategy.

Why do we Need a Strategy?

Inconsistent Messaging

- 10 metres.
- 10 sign types.



Signage across Ulster University has been installed on-demand as each campus has grown and developed. This approach has worked for individual buildings, but not for the University as a whole. The absence of strategy or guidance has resulted in a disparate, over-populated set of signs which is confusing for students, staff and visitors. This inadequate user experience will have a direct, negative impact on the Ulster University brand.

Inconsistent Appearance


- Colour.
- Position.
- Scale.
- Materials.
- Colour.
- Finish.
- Labelling.
- Iconography.
- Typefaces.



Why do we Need a Strategy?

A clear strategy defines a consistent approach, making future signage efficient and cost-effective.

Crucially, users who experience a seamless journey are much more likely to appreciate their surroundings and leave with a positive experience.



We have embarked on a robust design process to conceive a solution that is:

— **Future-proof**

No superfluous or ephemeral elements.
Interchangeable panels.

— **Accessible and readable**

High contrast colours. Large sans-serif typeface.
Braille equivalents where appropriate.

— **Recognisable**

Visually consistent.
Clear association with the university.

— **Streamlined**

Fewer signs in highly visible, logical locations.

— **Cost-effective**

Free, open source typeface. Minimal component parts.
Standardised sizes, materials and production techniques.

— **Meaningful and usable**

Succinct, firm and polite content. Universal pictograms. Heads-up mapping.
Illustrated landmarks. 'You are here' markers with walking radius.

Brand Assets



Logo
Single colour logo.

Our wayfinding system is built using our core brand assets: logo, colour and type. Our system intentionally avoids graphic devices, brand patterns and imagery that could easily date and distract from our content. Removing all superfluous elements maximises readability and helps weather future brand identity changes.

Pantone
282C

RAL 5011
Steel Blue

White

RAL 9016
Traffic White

Pantone
Cool Gray 5C

RAL 7038
Agate Grey

Brand palette
High contrast with a complimentary, neutral mid-colour.

Barlow
Semi-Condensed

Wayfinding typeface
Free and open source. Inspired by the standard traffic sign typeface 'DIN'. Available to download from:
fonts.google.com/specimen/Barlow+Semi+Condensed



Maps
2D maps with 3D landmarks. Clear, universal and functional, using head-up orientation. See p.15.



Pictograms
Universal, clear and immediate.

Application Principles

Colour

- Single approach across Belfast, Coleraine and Magee campuses.
- A unified approach ensures consistency and builds brand recognition.
- No internal colour co-ordination, maximising flexibility and accommodation of layout changes.

New builds and historic buildings

- Same approach across all architectural styles.
- Ensures consistency and reinforces unity.

Use of logo

- External signage: Full logo (May change based on logo plate route).
- Internal signage: 'U' icon (Maintains brand recognition without distracting from wayfinding text).

Sign positioning

- All signage should be prominently positioned to be instantly visible.
- Lighting, reflections, sight lines, vehicles, people and other potential obstructions should always be considered.

External

- Interchangeable panels for flexibility and longevity.
- Cost-effective to re-skin should the University logo change.
- Stacked signage is interchangeable to accommodate future changes.

Internal

- No inserts, sliders or other devices that require maintenance.
- Interchangeable components to accommodate future changes.

Language Conventions

Meaningful content

- To be understood quickly, each sign should be as succinct as possible.
- Providing too much information can cause confusion and can be easily ignored.

Language

- Abbreviations, technical terms and jargon should be avoided to minimise confusion.
- Do not use full stops after destination names on signage.
- Terminology and naming should be consistent throughout.

Capitalisation

- Title case (the first letter of each word is capitalised) should be used: 'Main Entrance & Reception' not 'Main entrance & reception'.
- The initial capital creates more recognisable shapes out of words for improved readability.
- Title case is generally associated with authority and importance, so is more fitting for wayfinding.

Campus and building naming

- Buildings should be identified by their code (e.g. 'BA'), until building names are agreed. Thereafter, all buildings should be referred to by name, not code.

Braille

- Unified English Braille should be used to the following signage categories: Welcome / Site Orientation / Level Directories / Directional / Room Identifiers / Informative.
- Grade 2 Braille should be used for longer descriptions and sentences.
- See p.59 for more detailed applications guidance.

Process

The following process outlines the steps required to establish and implement an effective wayfinding system.

1

Scope area

- Understand the space.
- Establish the best location for sign(s).
- Ensure sign is prominently positioned to be instantly visible. Consider lighting, reflections, sight lines and potential obstructions.

2

Check planning permission

- Consult the Local Authority Planning Department guidelines with respect to the proposals.
- If required submit a planning application
- Consider how the sign(s) will affect the appearance of the local area and public safety.

3

Create specification

- Collate a detailed list that outlines:
- Sign location(s).
 - Sign type(s).
 - Sign code(s).
 - Sign content.

4

Procure production & artwork

- Production should be commissioned in line with the University's procurement policies.
- Please liaise with Senior Buyers.

5

Give supplier access to working files

- Upon appointment, provide supplier with access to:
- Our Kit of Parts.
 - This Protocol PDF.

6

Oversee production & application

- Liaise with supplier to ensure quality and consistency is achieved.
- Cross-reference output with the Protocol.
- Review printed samples before approving.

02 Kit of Parts

To ensure consistency and maximise efficiency, we have created working artwork templates for internal and external signs. The following pages outline their function and purpose.


External Kit of Parts

Artwork templates are available from Estates Services

ew01

Welcome


Help people identify main entrance point(s) to the Campus.



ei01 / ei02

Informative


Help regulate behaviour and inform users.



ed01 / ed02

Directional

Help direct people to specific destinations.



et01 / et02


Temporary

Short-term and highly visible to quickly raise awareness or grab attention.

eso01

Site Orientation

Help people understand the layout of the area or campus.



eint01

Interpretation

Non-directional signage that creates a narrative based on a point of interest.

Procured independently but should adhere to the basic production principles on p.20 / 21.

Path
0.0km

ebi01 / ebi02 / ebi03

Building Identifier

Help people identify the building they're looking for.




Unique

For special requirements, as agreed with the Director of Estates Services.

Procured independently but should adhere to the University brand guidelines.

External Kit of Parts

Artwork templates are available from Estates Services



Help people identify main entrance point(s) to the University Campus.

Welcome

Satellite campus

These totems will list the relevant buildings/blocks to inform and manage expectations.

Positioning

Prominently positioned at main entrance point(s) to the Campus.

Artwork


ew01.indd

Specification

See 'Construction & Application' section.

External Kit of Parts

Artwork templates are available from Estates Services



eso01 + ep02

Help people understand
the layout of the area
or campus.

Site Orientation

Positioning
Prominently positioned
at 'on-foot' entry points
car park exits and
decision points.


Artwork
eso01.indd
Logo plate:
ep02.indd

Specification
See 'Construction &
Application' section.


External Kit of Parts

Artwork templates are available from Estates Services

ed01 + ep02



ed02 + ep02



Help direct people to
specific destinations.

Directional

Positioning

Positioned at key decision points in a person's journey, including roundabouts, junctions, pathways and car parks.

Artwork

ed01.indd

ed02.indd

Logo plate:

ep02.indd

Specification

See 'Construction & Application' section.

External Kit of Parts

Artwork templates are available from Estates Services



Format

- Clear, universal and functional.
- 2 dimensional, top down view.
- Illustrative landmarks allow quick identification. This is particularly effective for people using English as a foreign language.
- Each map should be square to fit on structures in all orientations.

Heads-up Mapping

- Maps should always be orientated in the direction the user is facing.
- Content at the top of the map represents what is in front of you: a perceived north, respecting the user's interaction with the campus and surrounding area.
- True north symbol should feature on all maps.

Walking Radius

- A useful, practical unit of measurement.
- Circle radiates from 'you are here' marker.
- Applied to all campus maps.

Map Creation

- Procured as needed.
- All commissions should follow this guidance.

Site Orientation

Maps

An integral part of all site orientation signage. Maps should also feature on the University website, prospectuses, emailers and other communication / promotional material.

ebi01 + ep03



ebi02 + ep04



Help people reach the building they're looking for and confirm they've arrived at the correct building.

Bespoke Size

There may be instances where a building would benefit from a larger sign or a bespoke approach. These signs would be required as 'Unique' and should be agreed in advance with the Director of Estates Services.

Building Identifier

Positioning

Clearly visible from all approaches to the building, these should be positioned above peoples' heads, parked cars and other potential obstructions.

Heritage names

These signs provide the opportunity to phase in heritage names for buildings. Block codes will remain for a slow transition.

Artwork

ebi01.indd

ebi02.indd

Logo plate:

ep03.indd

ep04.indd

Specification

See 'Construction & Application' section.

ebi03 + ep05



Building Name

Block XX

Bespoke Size

There may be instances where a building would benefit from a larger sign or a bespoke approach. These signs would be required as 'Unique' and should be agreed in advance with the Director of Estates Services.



Building Identifier

Positioning

Clearly visible from all approaches to the building, these should be positioned above peoples' heads, parked cars and other potential obstructions.

Heritage names

These signs provide the opportunity to phase in heritage names for buildings. Block codes will remain for a slow transition.

Artwork

ebi03.indd

Logo plate:
ep05.indd


Specification

See 'Construction & Application' section.

External Kit of Parts

Artwork templates are available from Estates Services

ei01 + ep01



ei02 + ep01



Used to regulate behaviour and inform users. These signs should convey a single message in a clear, firm and polite manner.

Informative

Note

These do not replace mandatory signs that follow BSI standards (fire / safety / exits etc...)

Positioning

Positioned in areas that will help regulate behaviour and inform visitors, such as car park tariffs and regulations, speed restrictions, CCTV, dog rules and safety notices.

Artwork

ei01.indd

ei02.indd

Logo plate:

ep01.indd

Specification

See 'Construction & Application' section.

External Kit of Parts

Artwork templates are available from Estates Services

Printed insert sleeve




Hand written notices



Intended for short-term use. Portable, flexible and highly visible, they allow for reactive marketing or supplementary wayfinding.

Temporary signage displayed in the public domain must be large enough to avoid obstruction. Temporary signage within the University Campus can smaller, but please consider visibility and safety.



Temporary

Positioning
High visibility areas.

Artwork
et01.indd
et02.indd

Specification
See 'Construction & Application' section.

External Interpretation



Non-directional signage that creates a narrative based on a point of interest.



Interpretation

Note


Angled information panels can be adjusted to the optimum angle for readability.

Positioning

These signs will be free-standing in front of the relevant building / area. They should be visible and easily accessed but not overpowering or distracting.



External Interpretation





ep07

Trail Orientation

Positioning

These signs will be located at the entry point to every trail and any trail overlap / decision points.



eint01 + ep06

Trail Markers

Positioning

These signs will be located at trail milestones, continuously informing people what trail they are on.



Directional signage that guides people through a pre-defined trail.

Interpretation

Note

Angled information panels can be adjusted to the optimum angle for readability and should be produced from environmentally responsible materials.

Heights are variable depending on surrounding landscape and potential obstructions.

Artwork

eint01.indd

Logo plate:

ep06.indd

ep07.indd

Specification

See 'Construction & Application' section.

Internal Kit of Parts

Artwork templates are available from Estates Services

iw01

Welcome


Help reassure people that they have arrived at the correct building.



iso01

Site Orientation


Help people understand the layout of the building.



ild01 / ild02

Level Directories






Convey key information about each floor.



id01 / id02 / id03 / id04 / id05

Directional


Help direct people to specific destinations.



iri01 / iri02 / iri03 / iri04

Room Identifier


Help people identify the room they're looking for.



ii01 / ii02

Informative

Help regulate behaviour and inform users.



Internal Kit of Parts

Artwork templates are available from Estates Services

iw01 + ip07



Help reassure people that they have arrived at the correct building.

Welcome

Positioning
Prominently positioned at main entrance point(s) to the building.


Artwork
iw01.indd
Logo plate:
ip07.indd

Specification
See 'Construction & Application' section.

Internal Kit of Parts

Artwork templates are available from Estates Services

iso01 + ip03



Help people understand
the layout of the building,
where required.

Site Orientation

Positioning

Highly visible as people
enter the building lobby
and not placed where
objects may be positioned
in front of them.

Artwork

iso01.indd

Logo plate:

ip03.indd

Specification

See 'Construction &
Application' section.

Internal Kit of Parts

Artwork templates are available from Estates Services

ild01 and ild02 + ip03

L		
2	Room Name/Code	XX000
	Room Name/Code	XX000
	Room Name/Code	XX000
1	Room Name/Code	XX000
	Room Name/Code	XX000
	Room Name/Code	XX000
G	Room Name/Code	XX000
	Room Name/Code	XX000
	Room Name/Code	XX000

Convey key information about each floor.

Level Directory

Positioning
Prominently positioned in lobby areas, outside lifts and stairwells.


Artwork
ild01.indd
ild02.indd
Logo plate:
ip03.indd

Specification
See 'Construction & Application' section.


Internal Kit of Parts

Artwork templates are available from Estates Services


id01 + ip06



id02 + ip05



id03 + ip05



Help direct people to specific destinations.

Directional

Positioning

Positioned at key decision points in a person's journey, including corridors, stairwells, lifts and stairs.

Artwork

id01.indd

id02.indd

id03.indd

Logo plate:

ip05.indd

ip06.indd


Specification

See 'Construction & Application' section.


Internal Kit of Parts

Artwork templates are available from Estates Services

id04 + ip02



id05 + ip02



Help direct people to
specific destinations.

Directional

Positioning

Positioned at key decision points in a person's journey, including corridors, stairwells, lifts and stairs.

Artwork

id04.indd

id05.indd

Logo plate:

ip02.indd


Specification

See 'Construction & Application' section.


Internal Kit of Parts

Artwork templates are available from Estates Services


iri01 + ip05




iri02 + ip04



iri03 + ip01



iri04 + ip01



Senior staff may apply for unique name plates, with advanced approval from the Director of Estates Services.

Help people identify the room they're looking for.

Room Identifier

Positioning

Clearly visible as people approach the room and not placed where objects may be positioned in front of them.

Artwork

iri01.indd

iri02.indd

iri03.indd

iri04.indd

Logo plate:

ip01.indd

ip04.indd

ip05.indd

Specification

See 'Construction & Application' section.

Internal Kit of Parts

Artwork templates are available from Estates Services

ii01 + ip01



ii02 + ip01



Used to regulate behaviour and inform users, conveying a single message in a clear, firm and polite manner.

Informative

Note

These do not replace mandatory signs that follow BSI standards (fire / safety / exits etc...)

Positioning

Positioned in areas that will help regulate behaviour and inform visitors, such as smoking, food and drink and health and safety.

Artwork

ii01.indd

ii02.indd

Logo plate:

ip01.indd

Specification

See 'Construction & Application' section.

When planning signage positioning, consider different user groups (staff, students, visitors) and their possible journeys through campus. Users must be supported throughout their whole journey, from the moment they arrive to the moment they leave.

Scoping Principles



Sample External Journey

Coleraine: Cromore Road to Main Entrance, by car, then on foot.



Sample Internal Journey

Belfast: Main Entrance to stairwell / lift, on foot.

Sign Type

- Welcome
- Informative
- Directional
- Site Orientation
- Building Identifier

Decision Points

Place the appropriate sign at every decision point (where the navigator must make a wayfinding decision). For example, whether to continue along the current route or to change direction.

- External signage requirements for each campus are outlined in the following pages.
- Internal areas should be conducted by staff, with consideration of user journeys and decision points.

Sign Codes

Each sign type has been assigned a unique code. This will facilitate planning, placement, supplier communication, installation and repairs / replacement.


ed01
↓
Number
↓
Directional
↓
External

iso01
↓
Number
↓
Directional
↓
External

Scoping Coleraine External

Sign Type


- Welcome
- Informative
- Directional
- Site Orientation
- Building Identifier
- Interpretation
- Unique Signage:
We have identified
the need for campus
identifiers along
Cromore Road and
Portstewart Road.
See p.35.



Scoping Magee External

Sign Type


- Welcome
- Informative
- Directional
- Site Orientation
- Building Identifier
- Interpretation
- Unique Signage:
We have identified the need for a campus identifier on a prominent south facing building. See p.36.



Scoping Belfast External

Sign Type

- Welcome
 - Informative
 - Directional
 - Site Orientation
 - Building Identifier
 - Interpretation
- Unique Signage:
We have identified the need for bespoke building identifiers on two façades. These signs will capitalise on Hill Street footfall and M3 traffic by clearly signposting the campus. See p.37.



Scoping Unique Signage

Coleraine

Campus identifiers along Cromore Road and Portstewart Road will provide visual cues to reassure people they have reached the campus perimeter. The Welcome signs on Cromore Road are uniquely large and should be retained for maximum visibility.



Cromore/Portstewart Road: Lamp post banners lead to Welcome sign.



Cromore Road: Large Welcome sign.

Suggested Solutions



Lamp Post Banners

A highly visible and cost-effective way of marking the campus perimeter, utilising existing infrastructure. Fibre arms and powder-coated aluminium brackets with spring-loaded tensioning to resist wind load.



Custom Welcome Signs

These signs are uniquely large. To avoid unnecessary expense, we can re-use the existing triangular foundation and internal structure. The sign should mirror the design of the standard Welcome sign.

Scoping Unique Signage

Magee

A bespoke building identifier will capitalise on busy footfall around the Derry City walls area.



Block MU: roof mounted University identifier

Suggested Solutions



Contra Vision

Transforming glass with one-way vision graphics which cannot be seen from the other side. They provide privacy and solar control benefits to people inside buildings without blocking their view outside.




Roof Mounted Lettering

Three dimensional lettering that protrudes up from the top of the building. Provides a highly visible University identifier, particularly from distance. Materials and finishes should be selected with consideration of the architecture and overall Signage Protocol.

Scoping Unique Signage

Belfast

Bespoke building identifiers on two façades will capitalise on Hill Street footfall and M3 traffic by clearly signposting the campus.



North facade: view from M3.




East facade: view from Hill Street junction.

Suggested Solutions



Contra Vision

Transforming glass with one-way vision graphics which cannot be seen from the other side. They provide privacy and solar control benefits to people inside buildings without blocking their view outside.



Roof Mounted Lettering


Three dimensional lettering that protrudes up from the top of the building. Provides a highly visible University identifier, particularly from distance. Materials and finishes should be selected with consideration of the architecture and overall Signage Protocol.

04 Construction & Application

For consistency across all campuses and to maximise efficiency and cost-effectiveness, we have established materials and production methods for each sign type. The following pages outline the relevant specification.

These drawings represent design intent only.
Detailed manufacture and installation drawings must be provided by the signage contractor.
Site survey findings may dictate necessary changes to specification and fixing methods.
All measurements are in mm.

External Construction



Free-standing Signage

Signage constructed out of powder coated aluminium with interchangeable plates provide, robust and flexible solution for all external signing requirements. Following guidelines will ensure that all signage produced across the 3 campuses will be constant and on-brand.

Front / back panels

- Panels fixed to internal frame.
- Heavy gauge folded aluminium.
- Anti-vandal lacquer.
- Text stencil cut 050 opal acrylic.
- Internally illuminated with SLOAN™ LED modules (Welcome / Site Orientation only).
- Powder coated.
- Interchangeable plates.

Internal frame


- Mild galvanised steel.
- Underground support bars (depth to be defined by manufacturer).

Base plate

- 360° wraparound frame.
- Heavy gauge aluminium.
- Powder coated.

These drawings represent design intent only.
Detailed manufacture and installation drawings must be provided by the signage contractor.
Site survey findings may dictate necessary changes to specification and fixing methods.
All measurements are in mm.

External Construction



Wall-mounted signage

Signage constructed out of powered coated aluminium with interchangeable plates provide, robust and flexible solution for all external signing requirements. Following guidelines will ensure that all signage produced across the 3 campuses will be constant and on-brand.

- Single sided.
- 3mm folded aluminium.
- Powder coated.
- 30mm return on top, bottom and outer edges.
- Stencil logo / text using 5 year polymeric vinyl with matt laminate.
- Strong and lightweight.
- Interchangeable plates.

Internal frame

- Mild galvanised steel.
- Bar to support join between logo and name plate.

Fixing


- Internal frame fixed to mounting surface.
- Plates bolted to internal frame via top and bottom returned edges.

Mounting

- 30mm returned edges.
- Mounted flush to surface.

These drawings represent design intent only.
Detailed manufacture and installation drawings must be provided by the signage contractor.
Site survey findings may dictate necessary changes to specification and fixing methods.
All measurements are in mm.

External Welcome



ew01




Side view

- 50mm returned edges with capped sides to enable secret fixings.
- 50mm trim width.


Top view

- Front / back panels returned edges sit flush with trim.
- No trim required along top of internal frame.



These drawings represent design intent only.
Detailed manufacture and installation drawings
must be provided by the signage contractor.
Site survey findings may dictate necessary
changes to specification and fixing methods.
All measurements are in mm.

External Welcome Toblerone




Side view

- 50mm returned edges with capped sides to enable secret fixings.
- 50mm trim width.

Top view


- Front / back panels returned edges sit flush with trim.
- No trim required along top of internal frame.



ew01

These drawings represent design intent only.
Detailed manufacture and installation drawings must be provided by the signage contractor.
Site survey findings may dictate necessary changes to specification and fixing methods.
All measurements are in mm.

External Site Orientation




esi01 + ep02



- Side view
- 50mm returned edges with capped sides to enable secret fixings.
 - 50mm trim width.


- Top view
- Front / back panels returned edges sit flush with trim.
 - No trim required along top of internal frame.



These drawings represent design intent only.
Detailed manufacture and installation drawings must be provided by the signage contractor.
Site survey findings may dictate necessary changes to specification and fixing methods.
All measurements are in mm.


External Directional

ed01 + ep02



Directional signage can either be wall-mounted or free-standing.


ed02 + ep02



These drawings represent design intent only.
Detailed manufacture and installation drawings must be provided by the signage contractor.
Site survey findings may dictate necessary changes to specification and fixing methods.
All measurements are in mm.

External Building Identifier

ebi01 + ep03



ebi02 + ep04



These drawings represent design intent only.
Detailed manufacture and installation drawings must be provided by the signage contractor.
Site survey findings may dictate necessary changes to specification and fixing methods.
All measurements are in mm.

External Building Identifier

ebi03 + ep05




Bespoke Size

There may be instances where a building would benefit from a larger sign or a bespoke approach. These signs would be required as 'Unique' and should be agreed in advance with the Director of Estates Services.


These drawings represent design intent only.
Detailed manufacture and installation drawings must be provided by the signage contractor.
Site survey findings may dictate necessary changes to specification and fixing methods.
All measurements are in mm.

External Informative

ei01 + ep01




ei02 + ep01



These drawings represent design intent only.
Detailed manufacture and installation drawings must be provided by the signage contractor.
Site survey findings may dictate necessary changes to specification and fixing methods.
All measurements are in mm.

External Temporary



Height of each temporary signage and position of bend will vary depending on location and content.

Front View

et01

600




et02

300



These drawings represent design intent only.
Detailed manufacture and installation drawings must be provided by the signage contractor.
Site survey findings may dictate necessary changes to specification and fixing methods.
All measurements are in mm.

External Interpretation



Front View

eint01 + ep06 ep07

180



Path
0.0km

600




These drawings represent design intent only.
Detailed manufacture and installation drawings must be provided by the signage contractor.
Site survey findings may dictate necessary changes to specification and fixing methods.
All measurements are in mm.

External Interpretation

eint01




ep06



These drawings represent design intent only.
Detailed manufacture and installation drawings must be provided by the signage contractor.
Site survey findings may dictate necessary changes to specification and fixing methods.
All measurements are in mm.


External Interpretation

ep07



These drawings represent design intent only.
Detailed manufacture and installation drawings
must be provided by the signage contractor.
Site survey findings may dictate necessary
changes to specification and fixing methods.
All measurements are in mm.

External Application



Positioning of each Building Identifier will vary depending on location and space available.



Internal Construction



General Construction

The HB Modular Sign System (MSS) is an elegant, robust and flexible solution for all internal signing requirements. The system is made from dovetailed aluminium extrusions which slide together to form the completed sign. There is no back plate so signs can be single or double sided.

- Strong and lightweight.
- Interchangeable plates with multiple configurations.
- Plates held securely in place by integral dovetails.
- Only 6mm thick, with no visible frames or fixings.
- Signs can be single or double sided without affecting the thickness.
- Suitable for wall, door, suspended, projecting, desk mounted and free-standing signs.
- Incorporates a hidden, tamper-proof locking device.
- No restriction to the size of sign.
- No specialist maintenance required.

These drawings represent design intent only.
Detailed manufacture and installation drawings must be provided by the signage contractor.
Site survey findings may dictate necessary changes to specification and fixing methods.
All measurements are in mm.


Internal Welcome

iw01 + ip07



These drawings represent design intent only.
Detailed manufacture and installation drawings must be provided by the signage contractor.
Site survey findings may dictate necessary changes to specification and fixing methods.
All measurements are in mm.


Internal Site Orientation



These drawings represent design intent only.
Detailed manufacture and installation drawings must be provided by the signage contractor.
Site survey findings may dictate necessary changes to specification and fixing methods.
All measurements are in mm.

Internal Level Directories


ild01 and ild02 (floor plate) + ip03



These drawings represent design intent only.
Detailed manufacture and installation drawings
must be provided by the signage contractor.
Site survey findings may dictate necessary
changes to specification and fixing methods.
All measurements are in mm.

Internal Directional

id01 + ip06



id02 + ip05




id03 + ip05




These drawings represent design intent only.
Detailed manufacture and installation drawings must be provided by the signage contractor.
Site survey findings may dictate necessary changes to specification and fixing methods.
All measurements are in mm.

Internal Directional

id04 + ip02



id05 + ip02



These drawings represent design intent only.
Detailed manufacture and installation drawings must be provided by the signage contractor.
Site survey findings may dictate necessary changes to specification and fixing methods.
All measurements are in mm.

Internal Room Identifier

iri01 + ip05



iri02 + ip04




iri03 + ip01 / iri04 + ip01




These drawings represent design intent only.
Detailed manufacture and installation drawings must be provided by the signage contractor.
Site survey findings may dictate necessary changes to specification and fixing methods.
All measurements are in mm.

Internal Informative

ii01 + ip01




ii02 + ip01



These drawings represent design intent only.
Detailed manufacture and installation drawings
must be provided by the signage contractor.
Site survey findings may dictate necessary
changes to specification and fixing methods.
All measurements are in mm.

Internal Application



Room Identifiers


- Wall mounted.
- To the right of doors and lift entrances.
- Assists Braille users.

Toilet Doors

- Door mounted.
- Applied to the centre of the door.
- Assists Braille users.


Positioning

- Braille signs are, by their very nature, always read close up and should be positioned where they can easily be touched. The ideal range of heights for positioning of Braille signs would be between 1300mm and 1600mm above finished floor level.
- Braille signage should comply with current Government guidelines.



Raster Braille technique

- Routing and inlay capabilities.
- Coloured or clear ball bearing options.
- Multiple suppliers across Northern Ireland and UK.
- Can be applied to any material, avoiding the need for plastic.



Certain wayfinding applications will adapt to meet specific objectives so may not adhere to our Kit of Parts parameters. Every application requires justification and advanced approval from the Director of Estates Services.


Funder Acknowledgement

The University can receive external funding that contributes towards a new building, project or department – the University may decide to name these after the donor. This is decided on a case-by-case basis and will be overseen by the Director of Estates Services.



Non-Branded Areas

There may be business or contractual reasons why areas of the University have their own standalone identity and signage, for example, Riverside Theatre, Sport Halls, shops, hairdressers and cafés. These are open to the public and / or self-funded so will manage their own wayfinding and signage programmes. Please direct any queries to the Director of Estates Services.



Riverside
THEATRE

Wayfinding extends beyond signage. The user journey often starts at home – visiting our website, reading our prospectus, receiving a email or a phone call with University staff. To improve the University experience, every touchpoint should be aesthetically and verbally cohesive.

Verbal Directions

When giving verbal directions verbally, all language, names, codes and terminology should be consistent.

Written Communications

Effective wayfinding often starts before reaching the campus. Pre-visit sources of information such as web pages, emailers, letters and emails should utilise consistent language and aesthetics to this Signage Protocol.

Off-site Signage

There will be some signs outwith the University’s control that direct people to the University, for example, street signage. The local authority should be consulted to ensure the transition from road signage to campus signage is smooth and that all language and terminology is consistent.

If this protocol document does not provide a suitable solution for your needs, you must contact the Director of Estates Services to discuss and agree best solution before commissioning any signage.

Signage Protocol Guidelines

Please direct queries and requests to the Director of Estates Services. Thank you.

